

Safety data sheet
according to 1907/2006/EC, Article 31

TETENAL

Printing date 01.07.2021

version no: 5

Revision: 01.07.2021

SECTION 1: Identification of the substance/mixture and of the company/undertaking**1.1 Product identifier**Trade name: **C-41 CD-S Colour Developer Starter**

Article number: 104045

Index number:

None of the ingredients is listed.

UFI: 5300-P0H0-900F-GWQ2

1.2 Relevant identified uses of the substance or mixture and uses advised against

No further relevant information available.

Application of the substance / the mixture

Starter for photographic developers

Developer for photographic use

1.3 Details of the supplier of the safety data sheet**Manufacturer/Supplier:**

TETENAL 1847 GmbH

Schützenwall 31-35

D-22844 Norderstedt /Germany

Tel.: +49 (0) 40 521 45-0; Fax: +49 (0)40-52145-296

www.tetenal.com; E-mail: info@tetenal.com

Further information obtainable from: Department product safety. E-Mail: sida@tetenal.com

1.4 Emergency telephone number:

Poison Information Centre Germany: +49 (0) 30 - 30686 700 (English and German 24 hours)

SECTION 2: Hazards identification**2.1 Classification of the substance or mixture****Classification according to Regulation (EC) No 1272/2008**

The product is not classified, according to the CLP regulation.

2.2 Label elements**Labelling according to Regulation (EC) No 1272/2008 Void**

Hazard pictograms Void

Signal word Void

Hazard statements Void

Precautionary statements

P264 Wash thoroughly after handling.

P280 Wear protective gloves / eye protection.

P302+P352 IF ON SKIN: Wash with plenty of water.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P332+P313 If skin irritation occurs: Get medical advice/attention.

P362+P364 Take off contaminated clothing and wash it before reuse.

P337+P313 If eye irritation persists: Get medical advice/attention.

Additional information:

Safety data sheet available on request.

2.3 Other hazards**Results of PBT and vPvB assessment**

PBT: Not applicable.

vPvB: Not applicable.

SECTION 3: Composition/information on ingredients**3.2 Chemical characterisation: Mixtures**

Description: Mixture of substances listed below and with nonhazardous additions.

(Contd. on page 2)

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 01.07.2021

version no: 5

Revision: 01.07.2021

Trade name: C-41 CD-S Colour Developer Starter

(Contd. of page 1)

Dangerous components:

CAS: 584-08-7	potassium carbonate	1-5%
EINECS: 209-529-3	⚠ Skin Irrit. 2, H315; Eye Irrit. 2, H319; STOT SE 3, H335	
Reg.nr.: 01-2119532646-36		
CAS: 140-01-2	Diethylenetriaminepentaacetic acid, pentasodium salt (DTPA-Na5)	1-5%
EINECS: 205-391-3	⚠ STOT RE 2, H373; ⚠ Acute Tox. 4, H332	
Index number: 607-736-00-7		
Reg.nr.: 01-2119474445-33		

Additional information: For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

- . **4.1 Description of first aid measures**
- . **General information:** Immediately remove any clothing/shoes soiled by the product.
- . **After skin contact:** Immediately rinse with water.
- . **After eye contact:** Rinse opened eye for several minutes under running water. Then consult a doctor.
- . **After swallowing:** If symptoms persist consult doctor.
- . **4.2 Most important symptoms and effects, both acute and delayed**
No further relevant information available.
- . **4.3 Indication of any immediate medical attention and special treatment needed**
No further relevant information available.

SECTION 5: Firefighting measures

- . **5.1 Extinguishing media**
- . **Suitable extinguishing agents:** Use fire extinguishing methods suitable to surrounding conditions.
- . **5.2 Special hazards arising from the substance or mixture**
Nitrogen oxides (NOx)
Carbon monoxide (CO)
Sulphur dioxide (SO2)
- . **5.3 Advice for firefighters**
- . **Protective equipment:** No special measures required.

SECTION 6: Accidental release measures

- . **6.1 Personal precautions, protective equipment and emergency procedures** Ensure adequate ventilation
- . **6.2 Environmental precautions:**
Dilute with plenty of water.
Do not allow to enter sewers/ surface or ground water.
- . **6.3 Methods and material for containment and cleaning up:**
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
- . **6.4 Reference to other sections**
No dangerous substances are released.
See Section 7 for information on safe handling.
See Section 8 for information on personal protection equipment.
See Section 13 for disposal information.

SECTION 7: Handling and storage

- . **7.1 Precautions for safe handling** Ensure good ventilation/exhaustion at the workplace.
- . **Information about fire - and explosion protection:** The product is not flammable.
- . **7.2 Conditions for safe storage, including any incompatibilities**
- . **Storage:**
- . **Requirements to be met by storerooms and receptacles:** Store only in the original receptacle.

(Contd. on page 3)

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 01.07.2021

version no: 5

Revision: 01.07.2021

Trade name: C-41 CD-S Colour Developer Starter

(Contd. of page 2)

. Information about storage in one common storage facility:

- Store away from foodstuffs.
- Store away from oxidising agents.

. Further information about storage conditions:

- Protect from heat and direct sunlight.
- Protect from exposure to the light.
- Store under lock and key and out of the reach of children.
- Recommended storage temperature: 5-30°C

. 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

. 8.1 Control parameters

. Additional information about design of technical facilities: No further data; see item 7.

. Ingredients with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

. Additional information: The lists valid during the making were used as basis.

. 8.2 Exposure controls

. Personal protective equipment:

. General protective and hygienic measures:

- The usual precautionary measures are to be adhered to when handling chemicals.
- Wash hands before breaks and at the end of work.
- Avoid contact with the eyes and skin.

. Respiratory protection: Ensure adequate ventilation

. Protection of hands:

- Impervious gloves
- The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.
- Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

. Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

- Butyl rubber, BR
- Nitrile rubber, NBR
- Neoprene gloves

. Penetration time of glove material

Glove material	breakthrough-time	layer thickness
Butyl rubber:	≥480 min	≥0,4mm
Nitrile rubber:	≥480 min	≥0,38mm
Neoprene:	≥240 min	≥0,65mm

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

. Eye protection: Goggles recommended during refilling

. Body protection: Protective work clothing

SECTION 9: Physical and chemical properties

. 9.1 Information on basic physical and chemical properties

. General Information

. Appearance:

- Form:** Fluid
- Colour:** Colourless
- Odour:** Odourless

(Contd. on page 4)

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 01.07.2021

version no: 5

Revision: 01.07.2021

Trade name: C-41 CD-S Colour Developer Starter

(Contd. of page 3)

. Odour threshold:	Not determined.
. pH-value at 20 °C:	9.6
. Change in condition Melting point/freezing point:	Undetermined.
Initial boiling point and boiling range:	>100 °C
. Flash point:	Not applicable.
. Flammability (solid, gas):	Not applicable.
. Decomposition temperature:	Not determined.
. Auto-ignition temperature:	Product is not selfigniting.
. Explosive properties:	Product does not present an explosion hazard.
. Explosion limits: Lower:	Not determined.
Upper:	Not determined.
. Vapour pressure at 20 °C:	23 hPa
. Density at 20 °C:	1.18 g/cm ³
. Relative density	Not determined.
. Vapour density	Not determined.
. Evaporation rate	Not determined.
. Solubility in / Miscibility with water:	Fully miscible.
. Partition coefficient: n-octanol/water:	Not determined.
. Viscosity: Dynamic:	Not determined.
Kinematic:	Not determined.
. Solvent content: Water:	50-90 %
VOC (EC)	0.00 %
Solids content:	0.0 %
. 9.2 Other information	No further relevant information available.

SECTION 10: Stability and reactivity

- . **10.1 Reactivity** No further relevant information available.
- . **10.2 Chemical stability**
- . **Thermal decomposition / conditions to be avoided:** Stable at environment temperature.
- . **10.3 Possibility of hazardous reactions** No dangerous reactions known.
- . **10.4 Conditions to avoid** No further relevant information available.
- . **10.5 Incompatible materials:** No further relevant information available.
- . **10.6 Hazardous decomposition products:**
Irritant gases/vapours
Carbon monoxide and carbon dioxide

SECTION 11: Toxicological information

- . **11.1 Information on toxicological effects**
- . **Acute toxicity** Based on available data, the classification criteria are not met.

(Contd. on page 5)

-EN-

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 01.07.2021

version no: 5

Revision: 01.07.2021

Trade name: C-41 CD-S Colour Developer Starter

(Contd. of page 4)

LD/LC50 values relevant for classification:

584-08-7 potassium carbonate

Oral LD50 >2,000 mg/kg (rat)

140-01-2 Diethylenetriaminepentaacetic acid, pentasodium salt (DTPA-Na5)

Oral LD50 >2,000 mg/kg (rat)

Primary irritant effect:

Skin corrosion/irritation Based on available data, the classification criteria are not met.

Serious eye damage/irritation Based on available data, the classification criteria are not met.

Respiratory or skin sensitisation Based on available data, the classification criteria are not met.

Additional toxicological information:

CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)

Germ cell mutagenicity Based on available data, the classification criteria are not met.

Carcinogenicity Based on available data, the classification criteria are not met.

Reproductive toxicity Based on available data, the classification criteria are not met.

STOT-single exposure Based on available data, the classification criteria are not met.

STOT-repeated exposure Based on available data, the classification criteria are not met.

Aspiration hazard Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

12.1 Toxicity

Aquatic toxicity:

140-01-2 Diethylenetriaminepentaacetic acid, pentasodium salt (DTPA-Na5)

EC50 48 mg/l (daphnia magna (Water flea))

48 mg/l (Invertebrates)

LC50 96 mg/l (fish)

96 mg/l (Lepomis macrochirus (Sonnenbarsch))

12.2 Persistence and degradability No further relevant information available.

12.3 Bioaccumulative potential No further relevant information available.

12.4 Mobility in soil No further relevant information available.

Additional ecological information:

General notes:

Do not allow product to reach ground water, water course or sewage system.

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water

12.5 Results of PBT and vPvB assessment

PBT: Not applicable.

vPvB: Not applicable.

12.6 Other adverse effects No further relevant information available.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

European waste catalogue

09 00 00 WASTES FROM THE PHOTOGRAPHIC INDUSTRY

09 01 00 wastes from the photographic industry

09 01 01* water-based developer and activator solutions

Uncleaned packaging:

Recommendation: Disposal must be made according to official regulations.

(Contd. on page 6)

EN

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 01.07.2021

version no: 5

Revision: 01.07.2021

Trade name: C-41 CD-S Colour Developer Starter

(Contd. of page 5)

Recommended cleansing agents: Water, if necessary together with cleansing agents.

SECTION 14: Transport information

14.1 UN-Number

ADR, ADN, IMDG, IATA Void

14.2 UN proper shipping name

ADR Void

ADN, IMDG, IATA Void

14.3 Transport hazard class(es)

ADR, ADN, IMDG, IATA

Class Void

14.4 Packing group

ADR, IMDG, IATA Void

14.5 Environmental hazards:

Marine pollutant: No

14.6 Special precautions for user

Not applicable.

14.7 Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable.

UN "Model Regulation":

Void

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
Labelling according to Regulation (EC) No 1272/2008 GHS label elements

Directive 2012/18/EU

Named dangerous substances - ANNEX I None of the ingredients is listed.

15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Relevant phrases

H315 Causes skin irritation.

H319 Causes serious eye irritation.

H332 Harmful if inhaled.

H335 May cause respiratory irritation.

H373 May cause damage to organs through prolonged or repeated exposure.

Contact: E: sida@tetenal.com

Abbreviations and acronyms:

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

ICAO: International Civil Aviation Organisation

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

VOC: Volatile Organic Compounds (USA, EU)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

Acute Tox. 4: Acute toxicity – Category 4

(Contd. on page 7)

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 01.07.2021

version no: 5

Revision: 01.07.2021

Trade name: C-41 CD-S Colour Developer Starter

Skin Irrit. 2: Skin corrosion/irritation – Category 2
Eye Irrit. 2: Serious eye damage/eye irritation – Category 2
STOT SE 3: Specific target organ toxicity (single exposure) – Category 3
STOT RE 2: Specific target organ toxicity (repeated exposure) – Category 2

*** Data compared to the previous version altered.**

(Contd. of page 6)

EN