

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1 Product identifier

Trade name: **EUKOBROM**  
**B / W Paper Developer**

Article number: 100296, 100294

#### Index number:

None of the ingredients is listed.

### 1.2 Relevant identified uses of the substance or mixture and uses advised against

No further relevant information available.

Application of the substance / the mixture Black and white developer for photographic use

### 1.3 Details of the supplier of the safety data sheet

#### Manufacturer/Supplier:

TETENAL 1847 GmbH  
Schützenwall 31-35  
D-22844 Norderstedt /Germany  
Tel.: +49 (0) 40 521 45-0; Fax: +49 (0)40-52145-296  
www.tetenal.com; E-mail: info@tetenal.com

Further information obtainable from: Department product safety. E-Mail: sida@tetenal.com

### 1.4 Emergency telephone number:

Poison Information Centre Germany: +49 (0) 30 - 30686 700 (English and German 24 hours)

## SECTION 2: Hazards identification

### 2.1 Classification of the substance or mixture

#### Classification according to Regulation (EC) No 1272/2008

Skin Irrit. 2 H315 Causes skin irritation.  
Eye Dam. 1 H318 Causes serious eye damage.  
Skin Sens. 1 H317 May cause an allergic skin reaction.  
Muta. 2 H341 Suspected of causing genetic defects.  
Carc. 2 H351 Suspected of causing cancer.  
Aquatic Acute 1 H400 Very toxic to aquatic life.

### 2.2 Label elements

#### Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the CLP regulation.

#### Hazard pictograms



GHS05 GHS07 GHS08 GHS09

Signal word Danger

#### Hazard-determining components of labelling:

hydroquinone

#### Hazard statements

H315 Causes skin irritation.  
H318 Causes serious eye damage.  
H317 May cause an allergic skin reaction.  
H341 Suspected of causing genetic defects.  
H351 Suspected of causing cancer.  
H400 Very toxic to aquatic life.

#### Precautionary statements

P261 Avoid breathing dust/fume/gas/mist/vapours/spray.

(Contd. on page 2)

# Safety data sheet

## according to 1907/2006/EC, Article 31

Printing date 05.10.2020

version no: 7

Revision: 05.10.2020

**Trade name: EUKOBROM**  
**B / W Paper Developer**

(Contd. of page 1)

P264	Wash thoroughly after handling.
P272	Contaminated work clothing should not be allowed out of the workplace.
P273	Avoid release to the environment.
P280	Wear protective gloves/protective clothing/eye protection/face protection.
P302+P352	IF ON SKIN: Wash with plenty of water.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P310	Immediately call a POISON CENTER/doctor.
P308+P313	IF exposed or concerned: Get medical advice/attention.
P362+P364	Take off contaminated clothing and wash it before reuse.
P333+P313	If skin irritation or rash occurs: Get medical advice/attention.
P391	Collect spillage.
P405	Store locked up.
P501	Dispose of contents/container in accordance with local regulations.

### 2.3 Other hazards

#### Results of PBT and vPvB assessment

. **PBT:** Not applicable.

. **vPvB:** Not applicable.

## SECTION 3: Composition/information on ingredients

### 3.2 Chemical characterisation: Mixtures

. **Description:** Mixture of substances listed below and with nonhazardous additions.

#### Dangerous components:

CAS: 123-31-9	hydroquinone	1-5%
EINECS: 204-617-8	☠ Muta. 2, H341; Carc. 2, H351; ☠ Eye Dam. 1, H318; ☠ Aquatic	
Index number: 604-005-00-4	Acute 1, H400 (M=10); ☠ Acute Tox. 4, H302; Skin Sens. 1, H317	
Reg.nr.: 01-2119524016-51		
CAS: 584-08-7	potassium carbonate	1-5%
EINECS: 209-529-3	☠ Skin Irrit. 2, H315; Eye Irrit. 2, H319; STOT SE 3, H335	
Reg.nr.: 01-2119532646-36		
CAS: 1330-43-4	disodium tetraborate, anhydrous	1-5%
EINECS: 215-540-4	☠ Repr. 1B, H360FD	
Index number: 005-011-00-4		
CAS: 140-01-2	Diethylenetriaminepentaacetic acid, pentasodium salt (DTPA-Na5)	1-5%
EINECS: 205-391-3	☠ STOT RE 2, H373; ☠ Acute Tox. 4, H332	
Index number: 607-736-00-7		
Reg.nr.: 01-2119474445-33		
CAS: 1310-73-2	sodium hydroxide (caustic soda)	<1%
EINECS: 215-185-5	☠ Met. Corr.1, H290; Skin Corr. 1A, H314	
Index number: 011-002-00-6		
Reg.nr.: 01-2119457892-27		

#### SVHC

1330-43-4 disodium tetraborate, anhydrous

. **Additional information:** For the wording of the listed hazard phrases refer to section 16.

## SECTION 4: First aid measures

### 4.1 Description of first aid measures

. **General information:** Immediately remove any clothing/shoes soiled by the product.

#### After inhalation:

Supply fresh air and to be sure call for a doctor.

In case of unconsciousness place patient stably in side position for transportation.

(Contd. on page 3)

# Safety data sheet

## according to 1907/2006/EC, Article 31

Printing date 05.10.2020

version no: 7

Revision: 05.10.2020

**Trade name: EUKOBROM**  
**B / W Paper Developer**

(Contd. of page 2)

- . **After skin contact:** Immediately wash with water and soap and rinse thoroughly.
- . **After eye contact:**  
Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
- . **After swallowing:**  
Do not induce vomiting; call for medical help immediately.  
Drink plenty of water and provide fresh air. Call for a doctor immediately.
- . **4.2 Most important symptoms and effects, both acute and delayed**  
No further relevant information available.
- . **4.3 Indication of any immediate medical attention and special treatment needed**  
No further relevant information available.

### SECTION 5: Firefighting measures

- . **5.1 Extinguishing media**
- . **Suitable extinguishing agents:** Use fire extinguishing methods suitable to surrounding conditions.
- . **5.2 Special hazards arising from the substance or mixture**  
Nitrogen oxides (NO<sub>x</sub>)  
Carbon monoxide (CO)  
Sulphur dioxide (SO<sub>2</sub>)  
Under certain fire conditions, traces of other toxic gases cannot be excluded.
- . **5.3 Advice for firefighters**
- . **Protective equipment:** Do not inhale explosion gases or combustion gases.

### SECTION 6: Accidental release measures

- . **6.1 Personal precautions, protective equipment and emergency procedures**  
Wear protective clothing.  
Wear protective equipment. Keep unprotected persons away.  
Ensure adequate ventilation
- . **6.2 Environmental precautions:**  
Inform respective authorities in case of seepage into water course or sewage system.  
Dilute with plenty of water.  
Do not allow to enter sewers/ surface or ground water.
- . **6.3 Methods and material for containment and cleaning up:**  
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).  
Dispose contaminated material as waste according to item 13.  
Ensure adequate ventilation.
- . **6.4 Reference to other sections**  
See Section 7 for information on safe handling.  
See Section 8 for information on personal protection equipment.  
See Section 13 for disposal information.

### SECTION 7: Handling and storage

- . **7.1 Precautions for safe handling**  
Ensure good ventilation/exhaustion at the workplace.  
Prevent formation of aerosols.
- . **Information about fire - and explosion protection:** No special measures required.
- . **7.2 Conditions for safe storage, including any incompatibilities**
- . **Storage:**
- . **Requirements to be met by storerooms and receptacles:** Store only in the original receptacle.
- . **Information about storage in one common storage facility:**  
Store away from foodstuffs.  
Store away from oxidising agents.

(Contd. on page 4)

# Safety data sheet

## according to 1907/2006/EC, Article 31

Printing date 05.10.2020

version no: 7

Revision: 05.10.2020

**Trade name: EUKOBROM**  
**B / W Paper Developer**

(Contd. of page 3)

**Further information about storage conditions:**

- Recommended storage temperature: 15-25°C
- Keep container tightly sealed.
- Store in cool, dry conditions in well sealed receptacles.
- Protect from heat and direct sunlight.
- Protect from exposure to the light.
- Store under lock and key and out of the reach of children.
- Recommended storage temperature: 5-30°C
- 7.3 Specific end use(s)** No further relevant information available.

### SECTION 8: Exposure controls/personal protection

- Additional information about design of technical facilities:** No further data; see item 7.

**8.1 Control parameters**

**Ingredients with limit values that require monitoring at the workplace:**

**123-31-9 hydroquinone (1-5%)**

WEL (Great Britain)	Long-term value: 0.5 mg/m <sup>3</sup>
PEL (USA)	Long-term value: 2 mg/m <sup>3</sup>
REL (USA)	Ceiling limit: 2* mg/m <sup>3</sup> *15-min
TLV (USA)	Long-term value: 1 mg/m <sup>3</sup> DSEN

**1330-43-4 disodium tetraborate, anhydrous (1-5%)**

WEL (Great Britain)	Long-term value: 1 mg/m <sup>3</sup>
REL (USA)	Long-term value: 1 mg/m <sup>3</sup> anhydrous
TLV (USA)	Short-term value: 6* mg/m <sup>3</sup> Long-term value: 2* mg/m <sup>3</sup> *as inhalable fraction

**1310-73-2 sodium hydroxide (caustic soda) (<1%)**

WEL (Great Britain)	Short-term value: 2 mg/m <sup>3</sup>
PEL (USA)	Long-term value: 2 mg/m <sup>3</sup>
REL (USA)	Ceiling limit: 2 mg/m <sup>3</sup>
TLV (USA)	Ceiling limit: 2 mg/m <sup>3</sup>

**DNELs**

**123-31-9 hydroquinone**

Dermal	Long-term - systemic - effects	128 mg/kg bw/day (wkd)
	Long-term - systemic effects	64 mg/kg bw/day (wkd)
Inhalative	Long-term exposure-local effects	7 mg/m <sup>3</sup> (wkd)
	Long-term - local - effects	1 mg/m <sup>3</sup> (wkd)
	Long-term - systemic effects	1.74 mg/m <sup>3</sup> (wkd)
	Long-term - local effects	0.5 mg/m <sup>3</sup> (wkd)

**1310-73-2 sodium hydroxide (caustic soda)**

Oral	Long-term - systemic effects	2.3 mg/kg bw/day (Worker (Arbeiter))
Dermal	Long-term - systemic - effects	11,718 mg/kg bw/day (general population)
		11,718 mg/kg bw/day (Worker (Arbeiter))
	Akute - local effects	<2 mg/m <sup>3</sup> bw/day (Worker (Arbeiter))
Inhalative	Long-term - local - effects	1 mg/m <sup>3</sup> (Worker (Arbeiter))
	Akute-lokale Effekte	2.5 mg/m <sup>3</sup> (Consumer (Verbraucher))

(Contd. on page 5)

# Safety data sheet

## according to 1907/2006/EC, Article 31

Printing date 05.10.2020

version no: 7

Revision: 05.10.2020

**Trade name: EUKOBROM**  
**B / W Paper Developer**

(Contd. of page 4)

Long-term - systemic-effects    5.7 mg/m<sup>3</sup> (Consumer (Verbraucher))  
2.1 mg/m<sup>3</sup> (Worker (Arbeiter))

### . PNECs

#### 123-31-9 hydroquinone

Aquatic compartment - freshwater	0.000114 mg/l (Water)
Aquatic compartment - marine water	0.000114 mg/l (Water)
Aquatic compartment -water,intermittent releases	0.00134 mg/l (Water)
Aquatic compartment -sediment in freshwater	0.00098 mg/kg sed dw (Water)
Aquatic compartment -sediment in marine water	0.000097 mg/kg sed dw (Water)
Terrestrial compartment -soil	0.000129 mg/kg dw (Soil)
Sewage treatment plant (Abwasserreinigungsanlagen)	0.71 mg/l (Sewage Treatment Plant)

. **Additional information:** The lists valid during the making were used as basis.

### . 8.2 Exposure controls

#### . Personal protective equipment:

#### . General protective and hygienic measures:

The usual precautionary measures are to be adhered to when handling chemicals.

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

Do not inhale gases / fumes / aerosols.

Avoid contact with the eyes and skin.

#### . Respiratory protection:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

Ensure adequate ventilation

#### . Protection of hands:



Protective gloves

Impervious gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

#### . Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Butyl rubber, BR

Nitrile rubber, NBR

Neoprene gloves

#### . Penetration time of glove material

Glove material	breakthroug-time	layer thickness
Butyl rubber:	≥480 min	≥0,4mm
Nitrile rubber:	≥480 min	≥0,38mm
Neoprene:	≥240 min	≥0,65mm

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

(Contd. on page 6)

# Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 05.10.2020

version no: 7

Revision: 05.10.2020

**Trade name: EUKOBROM**  
**B / W Paper Developer**

(Contd. of page 5)

## . Eye protection:



Tightly sealed goggles

## . Body protection: Protective work clothing

## SECTION 9: Physical and chemical properties

## . 9.1 Information on basic physical and chemical properties

## . General Information

## . Appearance:

Form:	Fluid
Colour:	Colourless
Odour:	Recognisable
Odour threshold:	Not determined.

. pH-value at 20 °C: ~11

## . Change in condition

Melting point/freezing point:	Undetermined.
Initial boiling point and boiling range:	>100 °C

. Flash point: Not applicable.

. Flammability (solid, gas): Not applicable.

. Decomposition temperature: Not determined.

. Auto-ignition temperature: Product is not selfigniting.

. Explosive properties: Product does not present an explosion hazard.

## . Explosion limits:

Lower:	Not determined.
Upper:	Not determined.

. Vapour pressure: Not determined.

Density at 20 °C:	~1.3 g/cm <sup>3</sup>
Relative density	Not determined.
Vapour density	Not determined.
Evaporation rate	Not determined.

. Solubility in / Miscibility with water: Fully miscible.

. Partition coefficient: n-octanol/water: Not determined.

## . Viscosity:

Dynamic:	Not determined.
Kinematic:	Not determined.

## . Solvent content:

Water:	50-90 %
VOC (EC)	0.00 %

. Solids content: 0.0 %

. 9.2 Other information: No further relevant information available.

EN

(Contd. on page 7)

# Safety data sheet

## according to 1907/2006/EC, Article 31

Printing date 05.10.2020

version no: 7

Revision: 05.10.2020

**Trade name: EUKOBROM**  
**B / W Paper Developer**

(Contd. of page 6)

### SECTION 10: Stability and reactivity

- . **10.1 Reactivity** No further relevant information available.
- . **10.2 Chemical stability**
- . **Thermal decomposition / conditions to be avoided:** Stable at environment temperature.
- . **10.3 Possibility of hazardous reactions** Reacts with acids, alkalis and oxidising agents.
- . **10.4 Conditions to avoid** No further relevant information available.
- . **10.5 Incompatible materials:** Under certain fire conditions, traces of other toxic gases cannot be excluded.
- . **10.6 Hazardous decomposition products:**  
 Nitrogen oxides (NO<sub>x</sub>)  
 Irritant gases/vapours  
 Carbon monoxide and carbon dioxide

### SECTION 11: Toxicological information

- . **11.1 Information on toxicological effects**
  - . **Acute toxicity** Based on available data, the classification criteria are not met.
  - . **LD/LC50 values relevant for classification:**
- 
- 123-31-9 hydroquinone**  
 Oral LD50 302 mg/kg (rat)  
 Dermal LD50 >2,000 mg/kg (rabbit)
- 584-08-7 potassium carbonate**  
 Oral LD50 >2,000 mg/kg (rat)
- 140-01-2 Diethylenetriaminepentaacetic acid, pentasodium salt (DTPA-Na5)**  
 Oral LD50 >2,000 mg/kg (rat)
- 1310-73-2 sodium hydroxide (caustic soda)**  
 Oral LD50 >2,000 mg/kg (rat)
- . **Primary irritant effect:**
  - . **Skin corrosion/irritation**  
 Causes skin irritation.
  - . **Serious eye damage/irritation**  
 Causes serious eye damage.
  - . **Respiratory or skin sensitisation**  
 May cause an allergic skin reaction.
  - . **Acute effects (acute toxicity, irritation and corrosivity)**  
 The product shows the following dangers according to the calculation method of the General EU Classification Guidelines for Preparations as issued in the latest version:  
 Irritant
  - . **CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)**
  - . **Germ cell mutagenicity**  
 Suspected of causing genetic defects.
  - . **Carcinogenicity**  
 Suspected of causing cancer.
  - . **Reproductive toxicity** Based on available data, the classification criteria are not met.
  - . **STOT-single exposure** Based on available data, the classification criteria are not met.
  - . **STOT-repeated exposure** Based on available data, the classification criteria are not met.
  - . **Aspiration hazard** Based on available data, the classification criteria are not met.

EN

(Contd. on page 8)

# Safety data sheet

## according to 1907/2006/EC, Article 31

Printing date 05.10.2020

version no: 7

Revision: 05.10.2020

**Trade name: EUKOBROM**  
**B / W Paper Developer**

(Contd. of page 7)

### SECTION 12: Ecological information

#### . 12.1 Toxicity

##### . Aquatic toxicity:

#### 123-31-9 hydroquinone

EC50 48 mg/l (daphnia magna (Water flea))

LC50 96 mg/l (fish: Pimephales promelas)

#### 140-01-2 Diethylenetriaminepentaacetic acid, pentasodium salt (DTPA-Na5)

EC50 48 mg/l (daphnia magna (Water flea))

48 mg/l (Invertebrates)

LC50 96 mg/l (fish)

96 mg/l (Lepomis macrochirus (Sonnenbarsch))

#### 1310-73-2 sodium hydroxide (caustic soda)

EC50 24 mg/l (daphnia magna (Water flea))

LC50 48 mg/l (Lepomis macrochirus (Sonnenbarsch))

96 mg/l (fish: Oncorhynchus mykiss)

. 12.2 Persistence and degradability No further relevant information available.

. 12.3 Bioaccumulative potential No further relevant information available.

. 12.4 Mobility in soil No further relevant information available.

#### . Ecotoxicological effects:

. Remark: Very toxic for fish

#### . Additional ecological information:

#### . General notes:

Do not allow product to reach ground water, water course or sewage system, even in small quantities.

Do not allow product to reach ground water, water course or sewage system.

Also poisonous for fish and plankton in water bodies.

Very toxic for aquatic organisms

Rinse off of bigger amounts into drains or the aquatic environment may lead to increased pH-values. A high pH-value harms aquatic organisms. In the dilution of the use-level the pH-value is considerably reduced, so that after the use of the product the aqueous waste, emptied into drains, is only low water-dangerous.

Danger to drinking water if even extremely small quantities leak into the ground.

Water hazard class 3 (German Regulation) (Self-assessment): extremely hazardous for water

#### . 12.5 Results of PBT and vPvB assessment

. PBT: Not applicable.

. vPvB: Not applicable.

. 12.6 Other adverse effects No further relevant information available.

### SECTION 13: Disposal considerations

#### . 13.1 Waste treatment methods

##### . Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

##### . European waste catalogue

09 01 01\* water-based developer and activator solutions

##### . Uncleaned packaging:

. Recommendation: Disposal must be made according to official regulations.

. Recommended cleansing agents: Water, if necessary together with cleansing agents.

EN

(Contd. on page 9)



# Safety data sheet

## according to 1907/2006/EC, Article 31

Printing date 05.10.2020

version no: 7

Revision: 05.10.2020

**Trade name: EUKOBROM**  
**B / W Paper Developer**

(Contd. of page 8)

### SECTION 14: Transport information

<b>. 14.1 UN-Number</b>	
<b>. ADR, IMDG, IATA</b>	UN3267
<b>. 14.2 UN proper shipping name</b>	
<b>. ADR</b>	3267 CORROSIVE LIQUID, BASIC, ORGANIC, N.O.S. (SODIUM HYDROXIDE, hydroquinone), ENVIRONMENTALLY HAZARDOUS
<b>. IMDG</b>	CORROSIVE LIQUID, BASIC, ORGANIC, N.O.S. (SODIUM HYDROXIDE, hydroquinone), MARINE POLLUTANT
<b>. IATA</b>	CORROSIVE LIQUID, BASIC, ORGANIC, N.O.S. (SODIUM HYDROXIDE)
<b>. 14.3 Transport hazard class(es)</b>	
<b>. ADR</b>	
<b>. Class</b>	8 (C7) Corrosive substances.
<b>. Label</b>	8
<b>. IMDG, IATA</b>	
<b>. Class</b>	8 Corrosive substances.
<b>. Label</b>	8
<b>. 14.4 Packing group</b>	
<b>. ADR, IMDG, IATA</b>	III
<b>. 14.5 Environmental hazards:</b>	Product contains environmentally hazardous substances: hydroquinone
<b>. Marine pollutant:</b>	Yes
	Symbol (fish and tree)
<b>. Special marking (ADR):</b>	Symbol (fish and tree)
<b>. 14.6 Special precautions for user</b>	Warning: Corrosive substances.
<b>. Hazard identification number (Kemler code):</b>	80
<b>. EMS Number:</b>	F-A,S-B
<b>. Segregation groups</b>	Alkalis
<b>. Stowage Category</b>	A
<b>. Stowage Code</b>	SW2 Clear of living quarters.
<b>. Segregation Code</b>	SG35 Stow "separated from" SGG1-acids
<b>. 14.7 Transport in bulk according to Annex II of Marpol and the IBC Code</b>	Not applicable.
<b>. Transport/Additional information:</b>	
<b>. ADR</b>	
<b>. Limited quantities (LQ)</b>	5L
<b>. Excepted quantities (EQ)</b>	Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml
<b>. Transport category</b>	3
<b>. Tunnel restriction code</b>	E
<b>. IMDG</b>	
<b>. Limited quantities (LQ)</b>	5L
<b>. Excepted quantities (EQ)</b>	Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml

(Contd. on page 10)

# Safety data sheet

## according to 1907/2006/EC, Article 31

Printing date 05.10.2020

version no: 7

Revision: 05.10.2020

**Trade name: EUKOBROM**  
**B / W Paper Developer**

(Contd. of page 9)

<b>. UN "Model Regulation":</b>	UN 3267 CORROSIVE LIQUID, BASIC, ORGANIC, N.O.S. (SODIUM HYDROXIDE, HYDROQUINONE), 8, III, ENVIRONMENTALLY HAZARDOUS
---------------------------------	--

### SECTION 15: Regulatory information

- . **15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**
  - . **Labelling according to Regulation (EC) No 1272/2008** GHS label elements
  - . **Directive 2012/18/EU**
  - . **Qualifying quantity (tonnes) for the application of lower-tier requirements** 100 t
  - . **Qualifying quantity (tonnes) for the application of upper-tier requirements** 200 t
  - . **REGULATION (EC) No 1907/2006 ANNEX XVII** Conditions of restriction: 3
  - . **National regulations:**
  - . **Other regulations, limitations and prohibitive regulations**
  - . **Substances of very high concern (SVHC) according to REACH, Article 57**
- 
- 1330-43-4 disodium tetraborate, anhydrous
- . **15.2 Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

### SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- . **Relevant phrases**
- H290 May be corrosive to metals.
- H302 Harmful if swallowed.
- H314 Causes severe skin burns and eye damage.
- H315 Causes skin irritation.
- H317 May cause an allergic skin reaction.
- H318 Causes serious eye damage.
- H319 Causes serious eye irritation.
- H332 Harmful if inhaled.
- H335 May cause respiratory irritation.
- H341 Suspected of causing genetic defects.
- H351 Suspected of causing cancer.
- H360FD May damage fertility. May damage the unborn child.
- H373 May cause damage to organs through prolonged or repeated exposure.
- H400 Very toxic to aquatic life.
- . **Contact:** E: sida@tetenal.com
- . **Abbreviations and acronyms:**
- RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)
- ICAO: International Civil Aviation Organisation
- ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)
- IMDG: International Maritime Code for Dangerous Goods
- IATA: International Air Transport Association
- GHS: Globally Harmonised System of Classification and Labelling of Chemicals
- EINECS: European Inventory of Existing Commercial Chemical Substances
- ELINCS: European List of Notified Chemical Substances
- CAS: Chemical Abstracts Service (division of the American Chemical Society)
- VOC: Volatile Organic Compounds (USA, EU)
- DNEL: Derived No-Effect Level (REACH)
- PNEC: Predicted No-Effect Concentration (REACH)
- LC50: Lethal concentration, 50 percent
- LD50: Lethal dose, 50 percent
- PBT: Persistent, Bioaccumulative and Toxic

(Contd. on page 11)

**Safety data sheet**  
according to 1907/2006/EC, Article 31

Printing date 05.10.2020

version no: 7

Revision: 05.10.2020

**Trade name: EUKOBROM**  
**B / W Paper Developer**

(Contd. of page 10)

SVHC: Substances of Very High Concern  
vPvB: very Persistent and very Bioaccumulative  
Met. Corr.1: Corrosive to metals – Category 1  
Acute Tox. 4: Acute toxicity - oral – Category 4  
Skin Corr. 1A: Skin corrosion/irritation – Category 1A  
Skin Irrit. 2: Skin corrosion/irritation – Category 2  
Eye Dam. 1: Serious eye damage/eye irritation – Category 1  
Eye Irrit. 2: Serious eye damage/eye irritation – Category 2  
Skin Sens. 1: Skin sensitisation – Category 1  
Muta. 2: Germ cell mutagenicity – Category 2  
Carc. 2: Carcinogenicity – Category 2  
Repr. 1B: Reproductive toxicity – Category 1B  
STOT SE 3: Specific target organ toxicity (single exposure) – Category 3  
STOT RE 2: Specific target organ toxicity (repeated exposure) – Category 2  
Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard – Category 1

**\* Data compared to the previous version altered.**

EN